

トータルドーズ量

アルミシールド厚 (mm)	最小トータルドーズ量 (rad)	最大トータルドーズ量 (rad)
0.05	3.45E+05	7.81E+05
0.1	1.85E+05	4.41E+05
0.2	8.47E+04	1.97E+05
0.3	5.18E+04	1.13E+05
0.4	3.62E+04	7.39E+04
0.5	2.71E+04	5.27E+04
0.6	2.12E+04	4.01E+04
0.8	1.47E+04	2.66E+04
1	1.10E+04	1.94E+04
1.5	6.18E+03	1.07E+04
2	3.81E+03	6.62E+03
2.5	2.49E+03	4.28E+03
3	1.71E+03	2.81E+03
4	9.18E+02	1.31E+03
5	5.72E+02	6.64E+02
6	4.12E+02	3.78E+02
7	3.32E+02	2.56E+02
8	2.96E+02	2.06E+02
9	2.72E+02	1.84E+02
10	2.57E+02	1.72E+02
12	2.38E+02	1.60E+02
14	2.26E+02	1.53E+02
16	2.11E+02	1.44E+02
18	1.97E+02	1.36E+02
20	1.88E+02	1.30E+02